

Instrukcje +Uproszczone instrukcje obsługi.



Instrukcja JBL TUNE 700BT

🕒 23 grudnia 2020 r.

[Strona Główna](#) » [JBL](#) » **Instrukcja JBL TUNE 700BT** 

Instrukcja JBL TUNE 700BT



JBL TUNE 700BT Skrócona instrukcja obsługi




JBL TUNE 700BT BOX Zawartość

POWER ON & CONNECT



POWER ON AND
AUTOMATICALLY ENTER PAIRING MODE

JBL TUNE 700BT włączanie i łączenie




CHOOSE "JBL TUNE700BT" TO CONNECT



Ręczne parowanie JBL TUNE 700BT

BUTTON COMMAND




JBL TUNE 700BT PRZYCISK POLECENIA



JBL TUNE 700BT Przewodowe odsłuchiwanie

MULTI-POINT CONNECTION



ENTER PAIRING MODE WITH THE 2ND DEVICE

* (MAXIMUM 2 DEVICES)

JBL TUNE 700BT Połączenie wielopunktowe

1 TO SWITCH MUSIC SOURCE, PAUSE THE MUSIC ON THE CURRENT DEVICE AND SELECT PLAY ON THE 2ND DEVICE.

2 PHONE CALL WILL ALWAYS TAKE PRIORITY.


3 IF ONE DEVICE GOES OUT OF BLUETOOTH RANGE OR POWERS OFF, YOU MAY NEED TO MANUALLY RECONNECT THE REMAINING DEVICE.

4 SELECT "FORGET THIS DEVICE" ON YOUR BLUETOOTH DEVICES TO DISCONNECT MULTI-POINT.


1ST
BLUETOOTH DEVICE



CHOOSE "JBL TUNE700BT" TO CONNECT




2ND
BLUETOOTH DEVICE




JBL TUNE 700BT Połączenie wielopunktowe

CHARGING



JBL TUNE 700BT ładowanie



Zachowanie diod LED JBL TUNE 700BT

TECH SPEC



Driver size:	40 mm Dynamic driver
Frequency range:	20 Hz - 20 kHz
Sensitivity passive mode:	95 dB SPL/1 mW
Sensitivity active mode:	102 dB SPL/1 mW
Transducer impedance:	32 ohm
Max input power:	40 mW
Transmit sensitivity:	-15 dBV/Pa
Bluetooth transmitted power:	<5 dBm
Bluetooth transmitted modulation:	GFSK, $\pi/4$ DQPSK, 8DPSK
Bluetooth frequency:	2.402 GHz-2.480 GHz
Bluetooth profile version:	A2DP 1.2, AVRCP 1.5, HFP 1.6, HSP 1.2
Bluetooth version:	4.2
Headset battery type:	Polymer Li-ion battery (610 mAh / 3.7 V)
Power supply:	5 V --- 1 A
Charging time:	<2 hrs from empty.
Music play time with BT on:	up to 27 hrs
Weight:	220 g

JBL TUNE 700BT SPEC. TECHN



Znak słowny i logo Bluetooth® są zastrzeżonymi znakami towarowymi należącymi do firmy Bluetooth SIG, Inc., a użycie tych znaków przez firmę HARMAN International Industries, Incorporated jest objęte licencją. Inne znaki towarowe i nazwy handlowe należą do ich odpowiednich właścicieli.