


Instrukcja Obsługi



Osuszacz

Model: Emi

K I A N O

Dziękujemy za korzystanie z naszych produktów.
Przeczytaj instrukcje przed użyciem, zachowaj ją na przyszłość.

ZAWARTOŚĆ

Uwagi przed użyciem	01
Przegląd produktu	02
Specyfikacja	03
Instrukcja	03

Uwagi przed użyciem


Przeczytaj instrukcje przed użyciem, zachowaj ją na przyszłość.

Ostrzeżenia

1. By uniknąć szpicia elektrycznego i ognia nie pozwól by woda, płyny bądź inne łatwopalne substancje dostały się do produktu.
2. Nie używaj łatwopalnych materiałów takich jak środki owadobójcze czy perfumy w pobliżu urządzenia.
3. Przed podłączeniem urządzenia do źródła zasilania, upewnij się, że napięcie, które obsługuje zasilacz jest takie jakie znajduje się w gniazdku elektrycznym.
4. Urządzenie nie może zastąpić wentylacji, odpylania kurzu ani odprowadzania oleju podczas gotowania.
5. Upewnij się, że urządzenie stoi na stabilnym, poziomym podłożu.
6. Nie umieszczaj palców ani innych przedmiotów w wylocie/wlocie powietrza by uniknąć obrażeń oraz uszkodzenia urządzenia.
7. Przed użyciem produktu, przeczytaj dokładnie instrukcje i odłóż ją w bezpieczne miejsce.

Przegląd produktu

Elementy




SPECYFIKACJA

Model	Emi
Zasilanie	DC 9V 2,5A
Moc	23W
Hałas	≤30dB
Powierzchnia osuszania	≤20 m ²
Wymiary	153*153*240 mm
Pojemność zbiornika na wodę	1.1L
Dzienna wydajność	300ml/D (30 C, RH80%)

INSTRUKCJE

Ogólne użytkowanie

- Wyjmij zasilacz z pudełka i podłącz urządzenie do gniazdka.
- Naciśnij przycisk zasilania by włączyć urządzenie. Zbiornik na wodę ma możliwość ustawienia jednego z 7 kolorów.
- Naciśnij przycisk podświetlenia aby zmienić kolor, naciśnij przycisk ponownie by wyłączyć podświetlenie.
- Naciśnij przycisk zasilania by wyłączyć urządzenie.



Panel kontrolny

Wylewanie wody

1. Wydajność osuszania wynosi około 300 ml dziennie, maksymalna pojemność zbiornika na wodę to 1L.
2. Gdy zbiornik na wodę jest pełny, lampka kontrolna zmieni kolor na żółty i urządzenie automatycznie przestanie działać. Naciśnij przycisk zasilania, aby wyłączyć urządzenie, a następnie powoli wyjmij zbiornik na wodę, nie przechylaj zbiornika, w przeciwnym razie woda się wyleje. Ptwórz zbiornik aby wylać wodę.
3. Po wylaniu wody umieść zbiornik z powrotem w pierwotnej pozycji, naciśnij przycisk zasilania aby włączyć urządzenie, a zacznie działać ponownie.
4. Gdy nie używasz urządzenia, naciśnij przycisk zasilania aby je wyłączyć, następnie wyjmij zbiornik, wylej z niego wodę i włóż zbiornik z powrotem na miejsce, czekając na następny osuszanie.


Czyszczenie

Upewnij się, że urządzenie jest wyłączone i odłączone od źródła zasilania, następnie delikatnie przetrzyj powierzchnię miękką szmatką z kurzu i brudu na powierzchni oraz na wlocie powietrza. Jeśli zbiornik na wodę wymaga czyszczenia, wyjmij zbiornik a następnie otwórz jego pokrywę.

Środki ostrożności

1. Gdy osuszacz nie jest używany, naciśnij przycisk zasilania i odłącz urządzenie od prądu.
2. Nie pozostawiaj zasilacza w wilgotnych miejscach, przetrzymuj go w dobrze wentylowanych pomieszczeniach.
3. Pamiętaj by nie blokować wlotu i wylotu powietrza.
4. Umieszczaj produkt w pozycji poziomej, nie przechylaj go by zapobiec wylaniu wody ze zbiornika.

INSTRUCTION MANUAL



DEHUMIDIFIER

Model: Emi

KIANO

Thank you very much for using our products.
Please read the user manual carefully before use, and keep it for future reference.

CONTENT

Points for Attention	01
Product Overview	02
Specifications	03
Instruction	03

POINTS FOR ATTENTION


Before using, please read this user manual carefully and keep it for future reference.

Warning

1. Do not let water or other liquids or flammable cleaning agents enter the product to avoid electric shock and fire.
2. Do not spray any combustible materials such as insecticides or perfumes around the product.
3. Before connecting the product to the power supply, please check whether the voltage used by the product is consistent with the local power supply voltage.
4. This product cannot replace the range hood used for normal ventilation, daily vacuuming or cooking.
5. Be sure to place and use this product on a stable, flat and level surface.
6. Do not insert fingers or objects into the air outlet or air inlet to prevent the product from physical damage or malfunction.
7. Before using this product, please read this user manual carefully and keep it in a safe place for future reference.

PRODUCT OVERVIEW

Components




SPECIFICATION

Model	Emi
Adapter	DC9V-2.5A
Power	23W
Noise	<30dB
Coverage area	<20m ²
Size	153x153x240mm
Water Tank Capacity	1.1L
Working Capacity	About 300ml/D(30°C,RH80%)

INSTRUCTIONS

General use

- 1、Take out the power adapter from the box and connect the product to the socket;
- 2、Press the power button to turn on, and the water tank light will change in 7 colors;
- 3、Press the light button once to fix the current color, and press the light button again to turn off the light;
- 4、Press the power button to shut down.



Pouring out water

- 1、The dehumidification capacity of this dehumidifier is about 300ml per day, and the maximum capacity of the water tank is 1.1L.
- 2、When the water tank is full, the indicator light will turn yellow and it will automatically stop working. At this time, please press the power button to turn off, and then slowly take out the water tank, do not tilt the water tank, otherwise the water will overflow; open the water tank to pour the water.
- 3、After pouring the water, put the water tank back to its original position, press the power button to turn on, and the product will start working again.
4. When you do not need to dehumidify, please press the power button to shut down, take out the water tank, pour water, and put the water tank back in place, waiting for the next dehumidification.

Cleaning

Please confirm that the product has been powered off, and unplug the power cord, gently wipe the surface with a soft cloth dust and dirt on the surface and air inlet. If you need to clean the water tank, please take out the water tank and open the water tank cover to clean the water tank.

Precautions

1. When dehumidification is not needed, press the power button and unplug the power cord.
2. Do not put the adapter in a humid or humid place, and keep it well ventilated.
3. Remember not to block the air inlet and outlet.
4. Put the product in a horizontal place, don't tilt it to prevent water leakage.