



MODUŁOWY / Modular


1.




2.




3.




4.




5.




6.




7.




8.




9.



10.



11.



SZANOWNI PAŃSTWO!

Dziękujemy za zakup naszego produktu. Przekazujemy kilka wskazówek jak prawidłowo go użytkować, aby mógł cieszyć się Państwa uznaniem przez długi czas.

UŻYTKOWANIE:

Zlewozmywak spełnia wymagania użytkowe zgodnie z normą EN-13310

1. Nie należy stawiać gorących garnków, patelni i innych przedmiotów bezpośrednio na powierzchni zlewozmywaka (spód patelni może rozgrzewać się do 500 st. C).
2. Gorące przedmioty należy stawiać na odpowiedniej podstawie do gorących naczyń wykonanej z drewna lub tworzywa sztucznego.
3. Nie należy używać zlewozmywaka jako powierzchni do krojenia.
4. Wrzucanie ciężkich lub ostrych przedmiotów do zlewozmywaka może spowodować jego uszkodzenie.
5. Regularne czyszczenie gwarantuje nienaganne funkcjonowanie produktu.
6. Do czyszczenia należy stosować odpowiednie środki czyszczące i przyrządy do tego przeznaczone.
7. Aby cieszyć się długotrwałym pięknem powierzchni wyrobu należy unikać produktów o działaniu barwiącym, powodujących uporczywe plamy np. farb do włosów, szminki i innych produktów o działaniu barwiącym. Należy wyczyścić zabrudzoną powierzchnię od razu po zabrudzeniu.
8. Nie należy używać preparatów do czyszczenia i pielęgnacji zawierających naturalne lub sztuczne barwniki. Przed użyciem środka należy dokładnie zapoznać się z jego instrukcją użytkowania oraz działaniem na powierzchnię wyrobu.
9. Nieprawidłowa pielęgnacja skutkuje uszkodzeniem wyrobu oraz unieważnieniem warunków reklamacji.
10. Wszystkie powierzchnie ceramiczne ulegają uszkodzeniu wskutek długotrwałego stosowania mleczka lub proszku do szorowania, płynów do czyszczenia odpływów o wysokim stężeniu, środków do czyszczenia armatury i stali oraz wybielaczy zawierających chlor.
11. Dezynfekcja z zastosowaniem agresywnych środków dezynfekujących może doprowadzić do uszkodzenia powierzchni.

CZYSZCZENIE:

1. Do regularnego czyszczenia zaleca się środki łagodne, pozbawione działania ściernego. Rekomendowane są środki marki Deante.
2. Do codziennej pielęgnacji ceramiki zaleca się stosowanie miękkiej, niedrapiącej gąbki lub ściereczki.
3. Po każdym użyciu należy wypłukać powierzchnię wewnętrzną wodą.
4. Nie należy czyścić powierzchni ściernymi środkami czystości. Jeżeli środek czystości wydaje się szorstki, gdy rozcierany między palcami, nie używać go do czyszczenia powierzchni z połyskiem.
5. Do zabrudzeń z osadzającego się kamienia zalecamy używać dedykowanych środków marki Deante.
6. W przypadku pojawiających się często osadów z kamienia wapiennego należy zwrócić szczególną uwagę na skład wody w pomieszczeniach mieszkalnych. Poziom zakamienienia nie powinien przekraczać dopuszczalnych norm (Rozp. Ministra Zdrowia z dn. 4.09.2010; DzURPNr 82, poz. 937).

UWAGI:

- A. Dopuszczalna tolerancja wymiarów dla ceramiki wynosi $\pm 5\%$ dla wartości do 200 mm i $\pm 3\%$ dla wartości powyżej 200 mm. Wygięcie jak i zmiana grubości jest wynikiem procesu technologicznego, nie wpływa na wytrzymałość i użytkowanie wyrobu.
- B. W przypadku produktu do zabudowy, Kupujący powinien sprawdzić jego sprawne funkcjonowanie przed zabudową i w obecności osoby nadzorującej pracę produktu.
- C. Producent zastrzega sobie prawo do zmian produkcyjnych i poprawek wyrobu podyktowanych postępem technologicznym i wartościami estetycznymi bez uprzedniego powiadomienia.
- D. Producent oświadcza, że kolor (odcień) produktu z tej samej linii może nieznacznie się różnić i występować w zbliżonym odcieniu. Różnica odcienia nie stanowi o wadzie produktu a wynika z normalnego procesu produkcji.

* szczegóły gwarancji na www.deante.pl

Dear customers,

We would like to thank you for purchasing our product. For the highest quality of our goods and services we recommend to follow our advices concerning use of purchased ceramic sink.

How to use:

The sink meets the functional requirements in accordance with EN-13310

1. We do not recommend to place hot pots, pans and other items directly on the sink surface (please remember that bottom of the pan can be heated up to 500C) – they can cause serious damages on the product surface.
2. Heated items must be placed on special tray made from wood or plastic, dedicated for these types of products.
3. Never, for any reason do not use sink surface as a place for cutting vegetables or other products.
4. For cleaning we do not recommend to use bleach or any cleaning agents containing bleach or abrasives. It is not advisable to use wire brush or wire sponge – it can create scratches, stains or other damages on the sink
5. Cast heavy items into sink can cause a serious damages of the product
6. Following the cleaning intervals guarantees impeccable functioning of the product.
7. Use suitable cleaning agents and tools for cleaning
8. In order to enjoy the long-lasting beauty of the product surface, avoid products with a colouring effect, causing persistent stains, e.g. (hair dyes, lipsticks and similar), clean the stained surface immediately after soiling.
9. Do not use cleaning and care products containing natural and artificial dyes. Before using a cleaning agent, you should carefully read its instructions for use and find out about its effects on the surface of the application.
10. Improper care may result in damage to the product and invalidation of the complaint conditions.
11. All ceramic surfaces are damaged by prolonged use of scrubbing milk or powder, drain cleaning fluids with high concentration, fittings and steel cleaners and chlorine-containing bleaches.
12. Disinfection with aggressive disinfectants can lead to surface damage

Attention! Please be aware that cleaning of the product by chemical unblocking of pipes liquids, cleaning tablets, descalers or other chemical agents can cause irreversible damages of the product.

CLEANING:

1. For regular cleaning, mild agents without an abrasive effect are suggested; Deante brand detergents are recommended.
2. For daily care of ceramics, we recommend using a soft, non-scratching sponge or cloth.
3. After each use, rinse the inner surface with water.
4. Do not clean the surface with abrasive cleaners. If the cleaning agent appears rough when rubbed between your fingers, do not use it to clean the surface with gloss.
5. Deante brand detergents are recommended for dirt from deposited stone.
6. In case calcium deposits are visible we recommend to check water composition in the apartment. Limescale level should be according to Your country norms.

ATTENTION!

- A. Permissible dimensional tolerance for ceramics is $\pm 5\%$ for values of up to 200 mm and $\pm 3\%$ for values exceeding 200 mm. Bending and thickness changes are the result of the technological process and have no impact on the strength and performance of the product.
- B. For a built-in product, the Purchaser should check its proper operation before installation in the presence of the person supervising the operation of the product.
- C. The Warrantor reserves the right to make production changes and corrections of the product arising from technological progress and aesthetic values without prior notice.
- D. The manufacturer declares that the colour (shade) of a product from the same line may be slightly different and is in a similar shade. The difference in shade is not a defect of the product and may result from the normal production process.