










































2




- DE** Werkseinstellung
FR Réglage d'usine
EN Factory preset
IT Regolazione di fabbrica
ES Valor de fábrica
NL Fabrieksinstelling
DK Fabriksindstilling
PL Ustawienie fabryczne
CS Nastavení z výroby
RU Заводская настройка
FI Tehdasasetus
SV Fabriksinställning
LT Gamykliniai nustatymai
HR Tvornički namješteno
ET Tehaseseadistus
LV Rūpnīcas iestatījums
NO Fabrikkinnstilling
TR Fabrika ayarı
HU Gyári beállítás















DE Reinigungsempfehlung /
Garantie / Kontakt
FR Recommandation pour le
nettoyage / Garanties / Contact
EN Cleaning recommendation /
Warranty / Contact
IT Raccomandazione di pulizia /
Garanzia / Contatto
ES Recomendaciones para la
limpieza / Garantía / Contacto

NL Aanbevelingen inzake reiniging /
Garantie / Contact
DK Rengøringsvejledning / Garanti /
Kontakt
PL Zalecenie dotyczące
pielęgnacji / Gwarancja /
Kontakt
CS Doporučení k čištění / Záruka /
Kontakt

RU Рекомендации по очистке /
Гарантия / Контакты
FI Puhdistussuositus / Takuu /
Kosketus
SV Rengöringsrekommendationer /
Garanti / Contacto
LT Valymo rekomendacijos /
Garantiija / Kontaktai
HR Preporuke za čišćenje /
Garancija / Kontakt

ET Puhastussuovitused / Garantii /
Kontakt
LV Tīrīšanas ieteikumi / Garantiija /
Kontakti
NO Anbefaling for rengjøring /
Garanti / Kontakt
TR Temizleme önerisi / Garanti /
Temas
HU Tisztítási tanácsok / Garancia /
érintkezés



P-IX

DVGW

SINTEF

NF



ETA



GODKENDT
TIL DRILLEKEND

76802XXX

P-IX 38227/IO




76804XXX









P-IX 38227/IO




Aqittura M91 240 1jet

76802XXX / 76804XXX






76827000






76814000
76815000
76828000
76829000
76830000



76818000

Aqittura M91 240 1jet 76802XXX / 76804XXX





°KH	°Clarke (GB)	PPM	°FH	Bypass- levels	capacity in liters	
					76815000	76827000
< 6	8	107	11	6	2750	3540
7	9	125	13	6	2360	3040
8	10	143	14	5	1650	2120
9	11	161	16	5	1470	1890
10	13	179	18	5	1320	1700
11	14	196	20	5	1200	1550
12	15	214	21	4	920	1180
13	16	232	23	4	850	1090
14	18	250	25	4	790	1010
15	19	268	27	4	730	940
16	20	286	29	4	690	880
17	21	304	30	4	650	830
19	24	339	34	4	580	750
21	26	375	38	3	450	580
23	29	411	41	3	410	530
26	33	464	46	3	360	470
29	36	518	52	3	330	420
33	41	589	59	3	290	370