



MIST DUO


MEXEN

KABINA PRYSZNICOWA



[PL] Instrukcja montażu [EN] Assembly Instructions [DE] Montageanleitung [FR] Instructions de montage [IT] Istruzioni di montaggio
[ES] Instrucciones de montaje [NL] Montage-instructies [RU] Инструкция по монтажу [SV] Monteringsanvisning [NO]
Monteringsanvisning [DA] Monteringsvejledning [FI] Asennusohje [CS] Montážní návod [PT] Instruções de montagem [HU] Szerelési
útmutató [RO] Instrucțiuni de montaj [EL] Οδηγίες συναρμολόγησης [SK] Návod na montáž [UK] Інструкція з монтажу [HR] Upute za
montažu [LT] Montavimo instrukcija [BG] Инструкция за монтаж [SL] Navodila za montažo [LV] Montāžas instrukcija [ET]
Paigaldusjuhend [SR] Упутство за монтажу [IS] Samsetningarleiðbeiningar [SQ] Udhëzime për montim [MK] Инструкции за монтажа
[MT] Istruzzjonijiet għall-assemblaġġ






[1]



X2

[2]




X2

[3]




X2

[4]



X2


[5]



ST3.5X40


X10

[6]



X6


[7]



ST3.5X9.5

X8


[8]



X1


X1

[9]




X1

[10]



X2

[11]




X2

[12]




X2



X4

[13]



X4

[14]



X1

X1

[15]




X2

[16]




X2

[17]




X2

[18]




X4

[19]



X6



Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
60L*60R	600	600	275	275	575-590	575-590	563-578	563-578	2000
60L*65R	600	650	275	300	575-590	625-640	563-578	613-628	2000
60L*70R	600	700	275	325	575-590	675-690	563-578	663-678	2000
60L*75R	600	750	275	350	575-590	725-740	563-578	713-728	2000
60L*80R	600	800	275	375	575-590	775-790	563-578	763-778	2000
60L*85R	600	850	275	400	575-590	825-840	563-578	813-828	2000
60L*90R	600	900	275	425	575-590	875-890	563-578	863-878	2000
60L*95R	600	950	275	450	575-590	925-940	563-578	913-928	2000
60L*100R	600	1000	275	475	575-590	975-990	563-578	963-978	2000
60L*105R	600	1050	275	500	575-590	1025-1040	563-578	1013-1028	2000
60L*110R	600	1100	275	525	575-590	1075-1090	563-578	1063-1078	2000
60L*115R	600	1150	275	550	575-590	1125-1140	563-578	1113-1128	2000
60L*120R	600	1200	275	575	575-590	1175-1190	563-578	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
65L*60R	650	600	300	275	625-640	575-590	613-628	563-578	2000
65L*65R	650	650	300	300	625-640	625-640	613-628	613-628	2000
65L*70R	650	700	300	325	625-640	675-690	613-628	663-678	2000
65L*75R	650	750	300	350	625-640	725-740	613-628	713-728	2000
65L*80R	650	800	300	375	625-640	775-790	613-628	763-778	2000
65L*85R	650	850	300	400	625-640	825-840	613-628	813-828	2000
65L*90R	650	900	300	425	625-640	875-890	613-628	863-878	2000
65L*95R	650	950	300	450	625-640	925-940	613-628	913-928	2000
65L*100R	650	1000	300	475	625-640	975-990	613-628	963-978	2000
65L*105R	650	1050	300	500	625-640	1025-1040	613-628	1013-1028	2000
65L*110R	650	1100	300	525	625-640	1075-1090	613-628	1063-1078	2000
65L*115R	650	1150	300	550	625-640	1125-1140	613-628	1113-1128	2000
65L*120R	650	1200	300	575	625-640	1175-1190	613-628	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
70L*60R	700	600	325	275	675-690	575-590	663-678	563-578	2000
70L*65R	700	650	325	300	675-690	625-640	663-678	613-628	2000
70L*70R	700	700	325	325	675-690	675-690	663-678	663-678	2000
70L*75R	700	750	325	350	675-690	725-740	663-678	713-728	2000
70L*80R	700	800	325	375	675-690	775-790	663-678	763-778	2000
70L*85R	700	850	325	400	675-690	825-840	663-678	813-828	2000
70L*90R	700	900	325	425	675-690	875-890	663-678	863-878	2000
70L*95R	700	950	325	450	675-690	925-940	663-678	913-928	2000
70L*100R	700	1000	325	475	675-690	975-990	663-678	963-978	2000
70L*105R	700	1050	325	500	675-690	1025-1040	663-678	1013-1028	2000
70L*110R	700	1100	325	525	675-690	1075-1090	663-678	1063-1078	2000
70L*115R	700	1150	325	550	675-690	1125-1140	663-678	1113-1128	2000
70L*120R	700	1200	325	575	675-690	1175-1190	663-678	1163-1178	2000

Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
75L*60R	750	600	350	275	725-740	575-590	713-728	563-578	2000
75L*65R	750	650	350	300	725-740	625-640	713-728	613-628	2000
75L*70R	750	700	350	325	725-740	675-690	713-728	663-678	2000
75L*75R	750	750	350	350	725-740	725-740	713-728	713-728	2000
75L*80R	750	800	350	375	725-740	775-790	713-728	763-778	2000
75L*85R	750	850	350	400	725-740	825-840	713-728	813-828	2000
75L*90R	750	900	350	425	725-740	875-890	713-728	863-878	2000
75L*95R	750	950	350	450	725-740	925-940	713-728	913-928	2000
75L*100R	750	1000	350	475	725-740	975-990	713-728	963-978	2000
75L*105R	750	1050	350	500	725-740	1025-1040	713-728	1013-1028	2000
75L*110R	750	1100	350	525	725-740	1075-1090	713-728	1063-1078	2000
75L*115R	750	1150	350	550	725-740	1125-1140	713-728	1113-1128	2000
75L*120R	750	1200	350	575	725-740	1175-1190	713-728	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
80L*60R	800	600	375	275	775-790	575-590	763-778	563-578	2000
80L*65R	800	650	375	300	775-790	625-640	763-778	613-628	2000
80L*70R	800	700	375	325	775-790	675-690	763-778	663-678	2000
80L*75R	800	750	375	350	775-790	725-740	763-778	713-728	2000
80L*80R	800	800	375	375	775-790	775-790	763-778	763-778	2000
80L*85R	800	850	375	400	775-790	825-840	763-778	813-828	2000
80L*90R	800	900	375	425	775-790	875-890	763-778	863-878	2000
80L*95R	800	950	375	450	775-790	925-940	763-778	913-928	2000
80L*100R	800	1000	375	475	775-790	975-990	763-778	963-978	2000
80L*105R	800	1050	375	500	775-790	1025-1040	763-778	1013-1028	2000
80L*110R	800	1100	375	525	775-790	1075-1090	763-778	1063-1078	2000
80L*115R	800	1150	375	550	775-790	1125-1140	763-778	1113-1128	2000
80L*120R	800	1200	375	575	775-790	1175-1190	763-778	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
85L*60R	850	600	400	275	825-840	575-590	813-828	563-578	2000
85L*65R	850	650	400	300	825-840	625-640	813-828	613-628	2000
85L*70R	850	700	400	325	825-840	675-690	813-828	663-678	2000
85L*75R	850	750	400	350	825-840	725-740	813-828	713-728	2000
85L*80R	850	800	400	375	825-840	775-790	813-828	763-778	2000
85L*85R	850	850	400	400	825-840	825-840	813-828	813-828	2000
85L*90R	850	900	400	425	825-840	875-890	813-828	863-878	2000
85L*95R	850	950	400	450	825-840	925-940	813-828	913-928	2000
85L*100R	850	1000	400	475	825-840	975-990	813-828	963-978	2000
85L*105R	850	1050	400	500	825-840	1025-1040	813-828	1013-1028	2000
85L*110R	850	1100	400	525	825-840	1075-1090	813-828	1063-1078	2000
85L*115R	850	1150	400	550	825-840	1125-1140	813-828	1113-1128	2000
85L*120R	850	1200	400	575	825-840	1175-1190	813-828	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
90L*60R	900	600	425	275	875-890	575-590	863-878	563-578	2000
90L*65R	900	650	425	300	875-890	625-640	863-878	613-628	2000
90L*70R	900	700	425	325	875-890	675-690	863-878	663-678	2000
90L*75R	900	750	425	350	875-890	725-740	863-878	713-728	2000
90L*80R	900	800	425	375	875-890	775-790	863-878	763-778	2000
90L*85R	900	850	425	400	875-890	825-840	863-878	813-828	2000
90L*90R	900	900	425	425	875-890	875-890	863-878	863-878	2000
90L*95R	900	950	425	450	875-890	925-940	863-878	913-928	2000
90L*100R	900	1000	425	475	875-890	975-990	863-878	963-978	2000
90L*105R	900	1050	425	500	875-890	1025-1040	863-878	1013-1028	2000
90L*110R	900	1100	425	525	875-890	1075-1090	863-878	1063-1078	2000
90L*115R	900	1150	425	550	875-890	1125-1140	863-878	1113-1128	2000
90L*120R	900	1200	425	575	875-890	1175-1190	863-878	1163-1178	2000

Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
95L*60R	950	600	450	275	925-940	575-590	913-928	563-578	2000
95L*65R	950	650	450	300	925-940	625-640	913-928	613-628	2000
95L*70R	950	700	450	325	925-940	675-690	913-928	663-678	2000
95L*75R	950	750	450	350	925-940	725-740	913-928	713-728	2000
95L*80R	950	800	450	375	925-940	775-790	913-928	763-778	2000
95L*85R	950	850	450	400	925-940	825-840	913-928	813-828	2000
95L*90R	950	900	450	425	925-940	875-890	913-928	863-878	2000
95L*95R	950	950	450	450	925-940	925-940	913-928	913-928	2000
95L*100R	950	1000	450	475	925-940	975-990	913-928	963-978	2000
95L*105R	950	1050	450	500	925-940	1025-1040	913-928	1013-1028	2000
95L*110R	950	1100	450	525	925-940	1075-1090	913-928	1063-1078	2000
95L*115R	950	1150	450	550	925-940	1125-1140	913-928	1113-1128	2000
95L*120R	950	1200	450	575	925-940	1175-1190	913-928	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
100L*60R	1000	600	475	275	975-990	575-590	963-978	563-578	2000
100L*65R	1000	650	475	300	975-990	625-640	963-978	613-628	2000
100L*70R	1000	700	475	325	975-990	675-690	963-978	663-678	2000
100L*75R	1000	750	475	350	975-990	725-740	963-978	713-728	2000
100L*80R	1000	800	475	375	975-990	775-790	963-978	763-778	2000
100L*85R	1000	850	475	400	975-990	825-840	963-978	813-828	2000
100L*90R	1000	900	475	425	975-990	875-890	963-978	863-878	2000
100L*95R	1000	950	475	450	975-990	925-940	963-978	913-928	2000
100L*100R	1000	1000	475	475	975-990	975-990	963-978	963-978	2000
100L*105R	1000	1050	475	500	975-990	1025-1040	963-978	1013-1028	2000
100L*110R	1000	1100	475	525	975-990	1075-1090	963-978	1063-1078	2000
100L*115R	1000	1150	475	550	975-990	1125-1140	963-978	1113-1128	2000
100L*120R	1000	1200	475	575	975-990	1175-1190	963-978	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
105L*60R	1050	600	500	275	1025-1040	575-590	1013-1028	563-578	2000
105L*65R	1050	650	500	300	1025-1040	625-640	1013-1028	613-628	2000
105L*70R	1050	700	500	325	1025-1040	675-690	1013-1028	663-678	2000
105L*75R	1050	750	500	350	1025-1040	725-740	1013-1028	713-728	2000
105L*80R	1050	800	500	375	1025-1040	775-790	1013-1028	763-778	2000
105L*85R	1050	850	500	400	1025-1040	825-840	1013-1028	813-828	2000
105L*90R	1050	900	500	425	1025-1040	875-890	1013-1028	863-878	2000
105L*95R	1050	950	500	450	1025-1040	925-940	1013-1028	913-928	2000
105L*100R	1050	1000	500	475	1025-1040	975-990	1013-1028	963-978	2000
105L*105R	1050	1050	500	500	1025-1040	1025-1040	1013-1028	1013-1028	2000
105L*110R	1050	1100	500	525	1025-1040	1075-1090	1013-1028	1063-1078	2000
105L*115R	1050	1150	500	550	1025-1040	1125-1140	1013-1028	1113-1128	2000
105L*120R	1050	1200	500	575	1025-1040	1175-1190	1013-1028	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
110L*60R	1100	600	525	275	1075-1090	575-590	1063-1078	563-578	2000
110L*65R	1100	650	525	300	1075-1090	625-640	1063-1078	613-628	2000
110L*70R	1100	700	525	325	1075-1090	675-690	1063-1078	663-678	2000
110L*75R	1100	750	525	350	1075-1090	725-740	1063-1078	713-728	2000
110L*80R	1100	800	525	375	1075-1090	775-790	1063-1078	763-778	2000
110L*85R	1100	850	525	400	1075-1090	825-840	1063-1078	813-828	2000
110L*90R	1100	900	525	425	1075-1090	875-890	1063-1078	863-878	2000
110L*95R	1100	950	525	450	1075-1090	925-940	1063-1078	913-928	2000
110L*100R	1100	1000	525	475	1075-1090	975-990	1063-1078	963-978	2000
110L*105R	1100	1050	525	500	1075-1090	1025-1040	1063-1078	1013-1028	2000
110L*110R	1100	1100	525	525	1075-1090	1075-1090	1063-1078	1063-1078	2000
110L*115R	1100	1150	525	550	1075-1090	1125-1140	1063-1078	1113-1128	2000
110L*120R	1100	1200	525	575	1075-1090	1175-1190	1063-1078	1163-1178	2000

Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
115L*60R	1150	600	550	275	1125-1140	575-590	563-578	563-578	2000
115L*65R	1150	650	550	300	1125-1140	625-640	563-578	613-628	2000
115L*70R	1150	700	550	325	1125-1140	675-690	563-578	663-678	2000
115L*75R	1150	750	550	350	1125-1140	725-740	563-578	713-728	2000
115L*80R	1150	800	550	375	1125-1140	775-790	563-578	763-778	2000
115L*85R	1150	850	550	400	1125-1140	825-840	563-578	813-828	2000
115L*90R	1150	900	550	425	1125-1140	875-890	563-578	863-878	2000
115L*95R	1150	950	550	450	1125-1140	925-940	563-578	913-928	2000
115L*100R	1150	1000	550	475	1125-1140	975-990	563-578	963-978	2000
115L*105R	1150	1050	550	500	1125-1140	1025-1040	563-578	1013-1028	2000
115L*110R	1150	1100	550	525	1125-1140	1075-1090	563-578	1063-1078	2000
115L*115R	1150	1150	550	550	1125-1140	1125-1140	563-578	1113-1128	2000
115L*120R	1150	1200	550	575	1125-1140	1175-1190	563-578	1163-1178	2000
Model	A1	A2	B1	B2	X1	X2	Y1	Y2	H
120L*60R	1200	600	575	275	1175-1190	575-590	613-628	563-578	2000
120L*65R	1200	650	575	300	1175-1190	625-640	613-628	613-628	2000
120L*70R	1200	700	575	325	1175-1190	675-690	613-628	663-678	2000
120L*75R	1200	750	575	350	1175-1190	725-740	613-628	713-728	2000
120L*80R	1200	800	575	375	1175-1190	775-790	613-628	763-778	2000
120L*85R	1200	850	575	400	1175-1190	825-840	613-628	813-828	2000
120L*90R	1200	900	575	425	1175-1190	875-890	613-628	863-878	2000
120L*95R	1200	950	575	450	1175-1190	925-940	613-628	913-928	2000
120L*100R	1200	1000	575	475	1175-1190	975-990	613-628	963-978	2000
120L*105R	1200	1050	575	500	1175-1190	1025-1040	613-628	1013-1028	2000
120L*110R	1200	1100	575	525	1175-1190	1075-1090	613-628	1063-1078	2000
120L*115R	1200	1150	575	550	1175-1190	1125-1140	613-628	1113-1128	2000
120L*120R	1200	1200	575	575	1175-1190	1175-1190	613-628	1163-1178	2000

